
ORDER NO. ARD-7706057C

Service Manual

RS-1500US



"Isolated Loop" Three-Motor, Direct-Drive Tape Deck



Professional Series

RS-1500U MECHANISM SERIES

Information:

The Service Manual for model RS-1500US is in 2 parts: Vol. 1 and Vol. 2. Vol. 1 does not include measurements and adjustments. Refer to Vol. 2 for these items.



251500 US

Specifications (Catalog specifications for sales)

Track system: 4 heads system

2-track 2-channel recording, playback, erasing and 4-track 2-channel playback

Motors: 3 direct-drive motors system

Quartz control phase-locked DC brushless servo direct-drive motor Capstan; 2 tape tension controlled DC brushless direct-drive motors 5" to 10-1/2" (13 cm to 26.5 cm) outside diameter Reel tables:

Reel size:

Automatic control for above size of reel Tape tension control:

15 ips, 7-1/2 ips and 3-3/4 ips (38 cm/s, 19 cm/s and 9.5 cm/s) Tape speed:

Speed deviation: ±0.1% at 15 ips (38 cm/s) Speed fluctuation: 0.05% at 15 ips (38 cm/s) $\pm 6\%$ (recording and playback) Pitch control: Recording and playback Wow and flutter:

0.018% (WRMS), ±0.035% (DIN peak) 15 ips (38 cm/s); 0.03% (WRMS), ±0.06% (DIN peak) 7-1/2 ips (19 cm/s);

Time counter accuracy: $\pm 1\%$ at 15 ips (38 cm/s)

150 sec. for 2500 ft (1.5 mil for 762 m) tape Fast winding time:

Auto-Stop sensing:

End of tape; Tension roller switches

During running; Within 3 sec. after accidental stop of takeup reel table

Frequency response:

 $30\!\sim\!30,\!000\,\text{Hz}\,\pm\!3\,\text{dB}$ (recording level = $-\,10\,\text{dB}$ from 0 VU) $20\!\sim\!25,\!000\,\text{Hz}\,\pm\!3\,\text{dB}$ (recording level = $-\,20\,\text{dB}$ from 0 VU) $20\!\sim\!15,\!000\,\text{Hz}\,\pm\!3\,\text{dB}$ (recording level = $-\,20\,\text{dB}$ from 0 VU) 15 ips (38 cm/s); 7-1/2 ips (19 cm/s); 3-3/4 ips (9.5 cm/s);

Signal-to-noise ratio: NAB weighted (185 nWb/m +6 dB)

15 ips (38 cm/s); 60 dB 7-1/2 ips (19 cm/s); 60 dB 3-3/4 ips (9.5 cm/s);58dB

Distortion (THD): Measured via tape at 400 Hz (at any speed)

Less than 2% peak level (185nWb/m +6dB)

Less than 0.8% operating level (OVU)

Better than 50 dB Channel separation:

Better than 65 dB (recording level = $+10 \, dB$ at 1 kHz) Erasing ratio:

Recording bias: 120 kHz

BIAS selector at "1" 90%, BIAS selector at "2" 100%, BIAS selector at "3" 110% Bias level;

Equalization: NAB standard

Position "2" of "EQ" and "BIAS" selector set for scotch #207 tape

Recording level calibration: Referenced to 185 nWb/m

Inputs:

MIC; Unbalanced phone type jack

Sensitivity $0.25\,\text{mV}\,(-72\,\text{dB})$, input impedance $4.7\,\text{K}\Omega$ (at OVU, microphone level control at maximum position)

 $2.5\,\mathrm{mV}\,(-52\,\mathrm{dB})/4.7\,\mathrm{K}\Omega$ with 20 dB microphone attenuator switch on overload margin $55\,\mathrm{dB}$

(75 dB with 20 dB microphone attenuator) Applicable microphone impedance $200\Omega - 10 \,\mathrm{K}\Omega$

LINE: Phono type jack

Sensitivity 60 mV (-24 dB), input impedance 150 KΩ

Overload margin = infinity

(line input connected to LINE IN level control before pass through the amplifier)

Same as LINE IN (connected in parallel to LINE IN) THROUGH OUT;

Outputs:

LINE: 2 pair of phono type jack

Output level 0.42 V at 0 VU (output level control at "8")

 $0.6\,\text{V}$ or more at output level control maximum output impedance less than $3\,\text{K}\Omega$

Load impedance 22 KΩ over

Stereo phone type jack HEADPHONE;

Output level 60 mV at 0.42 V line output, load impedance 8Ω

Power requirements:

AC 120 V, 50/60 Hz DC 24 V, 4.5 A (with RP-086 optional battery adaptor)

120W Power consumption:

Weight:


57 lbs, 4 oz (26 kg)


 $17-1/2* \times 19-3/8* \times 10-1/8* (44.6 \text{ cm} \times 49.2 \text{ cm} \times 25.8 \text{ cm})$ Dimensions ($H \times W \times D$):

> Specifications based on use of Scotch #207 tape. Specifications are subject to change without notice.



LOCATION OF CONTROLS AND COMPONENTS





- 1) Reel clampers
- 2) Guide pin
- 3 Tension rollers
- 4) Tape marker
- 5 Double pressure rollers
- 6 Capstan
- 7 Cue lever/DC power switch
- (8) Timer counter/Reset button
- (9) Record button
- (10) Pause button
- (1) Rewind button
- (12) Fast forward button
- (3) Playback button
- (4) Stop button
- (1) Record mode switches
- (16) Bias selector
- (17) Equalization selector
- (18) Monitor switches
- (9) Stroboscope lamp
- 20 Output level controls
- Reversing roller
- 2 Line input level controls
- ② Pre-set markers
- 24 Microphone level controls
- 25 Microphone jacks
- 26 Headphones jack
- (27) Meter scale selector
- 28 Microphone attenuator switch
- 29 Timer start switch
- 30 Tape speed selector
- 30 Pitch control
- 32 Power switch
- 3 Level meter zero-point adjustment screws
- 34) Level meters
- 35) Edit dial
- 36 2, 4-track selector
- 37 Remote control connector
- 38 Power cord holder
- 39 Ground terminal
- 40 Battery selector
- (4) AC outlets
- (42) DC-IN connector
- (43) Power cord
- 4 Line input jacks
- 45 "Through out" jacks
- 46 Line output jacks

@ 25/100 US

AMPLIFIER SECTION

BLOCK DIAGRAM




Fig. 2

LEVEL DIAGRAM






Fig. 3



DISASSEMBLY INSTRUCTIONS






Procedure	To remove —	Remove	Pcs.	Shown in fig. ——.
1	Side board	Screws (A)	(4)	4
2	Top cover	Screws (B)	(4)	5
3	Back cover	Screws (C), (D)	(2), (4)	6
4	Bottom cover	Screws (E)	(4)	7
5 .	Function panal assembly and main P.C.B assembly	Knobs (F) Screws (G)	(9), (4)	8
6	P.C.B holding angle I and II	Screws (H), (I), (J)	(4), (4), (2)	9
7	Tension control P.C.B assembly	Screws (K) Housing No. (J), (M), (N), (O), (P)	(3), (5)	10
. 8	Function button control P.C.B assembly	Housing No. (B), (C), (D), (E), (F), (G)	(6)	11
9	Function button assembly	Screws (L)	(4)	11
10	Capstan control P.C.B assembly	Screws (M) Housing No. (F), (H), (I), (J), (K), (L)	(2), (6)	12
Among d	Level meter	Screw (N)	(1)	13
12	Power supply control P.C.B assembly	Screws (O)	(7)	14
13	Power transformer angle assembly	Screws (P)	(9)	15


SCHEMATIC DIAGRAM MODEL RS-1500US

Power Supply Section and Main Control Circuit




(7 25 A 500 11s

CIRCUIT BOARD



Main Control Circuit Board




NOTE:

The circuit shown in red on the conductor is B circuit. Values indicated in ____ are DC voltage between the chassis and electrical parts.

Voltages shown in () are voltages when plunger is in "ON" condition.

(a) 57 1200 A7 SCHEMATIC DIAGRAM MODEL RS-1500US


Reel Motor Section




Specifications are subject to change without notice.

CIRCUIT BOARD

Reel Motor Driving Circuit Board




Reel Motor Tension Control Circuit Board




NOTE:

The circuit shown in red on the conductor is B circuit. Values indicated in _____ are DC voltage between the chassis and electrical parts.



SCHEMATIC DIAGRAM MODEL RS-1500US

Capstan Motor Section





Specifications are subject to change without notice.



CIRCUIT BOARD


Capstan Motor Control Circuit Board






SCHEMATIC DIAGRAM MODEL RS-1500US

Main Amp. Section



CIRCUIT BOARD




NOTE:


The circuit shown in red on the conductor is B circuit. Values indicated in ____ are DC voltage between the chassis and electrical parts.

Voltages shown in () are voltages when plunger is in "ON" condition.


Jack Circuit Board





Tr507 Cîrcu





Main Amp. Circuit Board















(4) 25/500 US

WIRING CONNECTION DIAGRAM MODEL RS-1500US

Power Supply Section, Plunger and Micro Switch Section



NOTE:

BLK ······Black BLU ······Blue

BRN.....Brown

GRY ······Gray

GRN ······Green

L. BLU...Light Blue
NILNo Color Mark

ORGOrange

PNK ······Pink


RED ······Red


SLDShield Wire

VLT ······Violet

WHT ...White


YEL ·····Yellow





10DEL RS-1500US


Section






WIRING CONNECTION DIAGRAM MODEL RS-1500US

Reel, Capstan and Main Control Section




To connector (N) of reel motor driving P.C.B.




To connector (M) of reel motor driving P.C.B.


SUPPLY REEL MOTOR SIDE




To connector (H) of capstan motor control P.C.B.



To center tap of VR902











WIRING CONNECTION DIAGRAM MODEL RS-1500US



(13) RS 1500 US


EXPLODED VIEWS



(8) 25/1200 UJ


Mechanism Parts


Mechanism and Cabinet Parts






ELECTRICAL PARTS LOCATION







21/100 UJ 3




(20) 25/100 US







COMPONENT PACKING



REPLACEMENT PARTS LIST MODEL RS-1500US (Technics)

emporiarit sale pullettes.

Comporiarit i partities por shaded area have special characteristics important for salesty. When replacing any of these components use only manufactorists appointed parts.



Remarks

RS-1	500US

Part No.	Part Name & Description	Pcs/	Remarks
rait 140.	Tart Haine & Description		
QXR0308	Air Damper Rod (L) Assembly	1	
QMA2985	Air Damper Holding Angle	1	
QXQ0096	Air Damper (L) Assembly	1	
QXH0257	Tension Lever Holding Plate	1	
QMF1860B	Meter Holding Plate	1	
QBT1687M	Spring	2	RS-625US
QXA0607	Angle (R) Assembly	1	
QMR1572A	Rod (R)	1	
QXL1111	Arm (R) Assembly	1	
QXL1109	Sub-arm (R) Assembly	1	
QXL1112	Brake Lever Assembly	2	
QME0147BK	Plunger (for Brake)	2	
QBT1420	Spring	1	RQ-437S
QXA0606	Angle (L) Assembly	1	"
QMR1571A	Rod (L)	1	11
QXL1110	Arm (L) Assembly	1	n
QXL1108	Sub-arm (L) Assembly	1	"
QXL1098	Pressure Roller Lever Assembly	2	n
QXL1104	Pressure Roller Sub-arm (R)	1	n
QXL1103	Pressure Roller Sub-arm (L)	1	n
QMN2139	Shaft (1)	2	"
QDP1704	Roller	1	n .
QMS2428A	Shaft (2)	2	n .
QMN2140	Shaft (3)	2	n
OBC1071	Spring	2	"
OMC0053	Spacer	2	n
OXL1073	Shifter Arm (R) Assembly	1	,,
		1	"
		1	n
	Cue Holder	1	,,
+			n
			"
			"
		-+-	
			RS-630US
	QMA2985 QXQ0096 QXH0257 QMF1860B QBT1687M QXA0607 QMR1572A QXL1111 QXL1109 QXL1112 QME0147BK QBT1420 QXA0606 QMR1571A QXL1110 QXL1108 QXL1104 QXL1103 QMN2139 QDP1704 QMS2428A QMN2140 QBC1071	QXR0308 Air Damper Rod (L) Assembly QMA2985 Air Damper Holding Angle QXQ0096 Air Damper (L) Assembly QXH0257 Tension Lever Holding Plate QMF1860B Meter Holding Plate QMF1867M Spring QXA0607 Angle (R) Assembly QMR1572A Rod (R) QXL1111 Arm (R) Assembly QXL1112 Brake Lever Assembly QME0147BK Plunger (for Brake) QBT1420 Spring QXA0606 Angle (L) Assembly QXL1110 Arm (L) Assembly QXL1110 Arm (L) Assembly QXL1110 Pressure Roller Lever Assembly QXL1108 Sub-arm (L) Assembly QXL11098 Pressure Roller Lever Assembly QXL1104 Pressure Roller Sub-arm (R) Assembly QXL1103 Pressure Roller Sub-arm (L) QXL1104 Roller QMS2428A Shaft (2) QMN2139 Shaft (1) QMC0053 Spacer QXL1072 Shifter Arm (R) Assembly QXL1073 Shifter Arm (R) Assembly QXL1074 Roller QMC0053 Spacer QXL1075 Shifter Arm (L) Assembly QXL1076 Counter QMC0048 Cue Holder QG01284 Cue Button QMF1862 Stopper Plate QMC0087 Counter	Part No. Part Name & Description Set QXR0308 Air Damper Rod (L) Assembly 1 QMA2985 Air Damper Holding Angle 1 QX00096 Air Damper (L) Assembly 1 QXH0257 Tension Lever Holding Plate 1 QMF1860B Meter Holding Plate 1 QBT1687M Spring 2 QXA0607 Angle (R) Assembly 1 QXL1109 Sub-arm (R) Assembly 1 QXL1109 Sub-arm (R) Assembly 2 QXL1109 Sub-arm (C) Assembly 1 QXL1110 Arm (L) Assembly 1 QXL110A Arm (L) Assembly 1 QXL110B Sub-arm (L) Assembly 1 QXL110A Pressure Roller Lever Assembly 2 QXL1103 Pressure Roller Sub-arm (R) 1 QXL1103 Pressure Roller Sub-arm (L) 1

Ref. No.		Part No.	Part Name & Description	Pcs/ Set	Renains
			MECHANICAL PARTS		
M1	1	QXS1090	Capstan Motor Assembly	1	
M2	1	QXD0077 C70	Reel Motor (Rotor) Assembly	2	
M4		QMR1531	Connection Rod	2	
M5		QML3007	Cue Lever	1	
M6		QMF1852A	Adjustment Plate	1	
M7		QBN1346A	Spring	1	RS-284S
M8		QMF1855A	Control Plate	1	
M9		QXH0259	Adjustment Plate Assembly	1	
M10		QXL1107	Driving Lever Assembly	1	
M11		QME0138A	Plunger (for Pressure Roller)	1	RS-1030US
M12		QMN2168	Plunger Pin	1	
M13		QMF1874A	Plunger Holding Plate	1	
M15		QXQ0097	Air Damper Assembly	1	
M15-1		QBG1561	Bellows	3	
M16		QMA3124	Air Damper Angle	1	
M17		QMA2965	Stopper Angle	1	
M18	П	QXL1106A	Tension Lever (R) Assembly	1	
M19		QXR0307	Air Damper Rod (R) Assembly	1	
M20		QMA2984	Air Damper Holding Angle	1	
M21		QXQ0015	Air Damper (R) Assembly	1	
M22		QXH0258	Tension Lever Holding Plate	1	
M23		QMC0052	Spacer	2	
M25		QBK1217	Isoluation Sheet	2	RS-671AUS
M26		QMF1682	Micro Switch Mounting Plate	2	n
M27	П	QBC1189	Spring	2	RS-740US
M28	Γ	QXL1105A	Tension Lever (L) Assembly	1	

RS-1500US

					HS-15000S						
Ref. No.	T	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.		Part No.	Part Name & Description	Pcs/ Set	Remarks
M64	+	QXA0608	Counter Holding Plate Assembly	1		M99		QBF1254	Felt	1	
M65	+	QBT1601M	Spring	1		M100		QGK2643	Roller Ornament	1	
M66	+	ODP1702	Intermediate Pulley	1		M101		QMK1598A	Head Base Plate	1	
M67	\top	QDB0215	Counter Belt-A	1	RS-671AUS	M102		QGC1065A	Head Bottom Cover	1	
M68	+	QDB0173	"	1	RS 1030US	M103		QMG0029	Tape Guide-6	2	
M69	+	QMF1863	Wires Connector Holding Angle	1		M104		QMG0030	Tape Guide-7	2	
M70	+	QMA2955	Wires Connector Cover Angle	1		M105		QMZ1181A	Head Sheet-1	4	
M71	T	QMF1850	Function Buttons Holding Plate	1		M106		QMF1866	Head Spacer	2	
M72	\dagger	QMN2142	Function Buttons Holding Shaft	1		M107		QMA2929A	Switch Holding Angle	1	
M73	+	QG01278	Fast Forward Button	1		M108		QMP1330	Spacer	2	
M74	+	QG01282	Play Button	1		M109		QKJ0164	Mask	1	
M75	+	QG01283	Stop Button	1		M110		QKJ0163	LED Holder	1	
M76	+	QG01279	Rewind Button	1		M111	•	QBC1180	Head Mounting Spring	14	RS-715US
M77	+	QMC0050	Coller	1		M112	1	QNQ1069	Nut	4	
M78	\dashv	QG01280	Pause Button	1		M115		XTN4+14B	Screw 4×14	6	COMMON
M79	$-\dagger$	QG01281	Record Button	1		M116		XTN4+10B	Screw 4×10	28	n .
M80	+	QBM1227	Cushion	1		M117		XTN3+8B	Screw 3×8	5	"
M81	\dashv	QMG0033	Tape Guide-1 of Shifter Arm	2		M118		XSN2+12	Screw 2×12	4	"
M82	-+	XLCQ0001	Roller	2		M119		XSN26+6 .	Screw 2.6×6	4	"
M83	+	OMG0034	Tape Gulde-2 of Shifter Arm	2		M120		XSN4+30S	Screw 4×30	2	"
M84	1	QKJ0200	Tape Marker	2		M121		XSN3+6S	Screw 3×6	14	и
M85	H	QMC0054	Spacer	2		M122		XVE5C30FZS	Screw with Hexagon Hole	3	
M86	H	QMS2428A	Tape Guide Shaft	2		M123		XWA4	Spring Washer	4	COMMON
M87	H	QBC1087	Tape Guide Spring	2	RS-796US	M124		XWA2BFZ	n	14	"
M88	-	OMG0046	Tape Guide-3	2		M125		XWA26B	"	4	"
M89	-	OMG0045	Tape Guide 4	2		M126		хмсзв	Lock Washer	10	и
M90	H	OMG0031	Tape Guide 5	2		M127		QBW2023	Poly Washer	1	
M91	H	QHQ1247	Screw with Hexagon Hole	2		M128		хwазв	Spring Washer	2	COMMON
M92	H	QXP0544A	Pressure Roller Assembly	2		M129		QBW2019	Poly Washer	11	RS-630US
M93	$ \cdot $	QGK2731A	Pressure Roller Ornament	2		M130		QBW0034	Washer	4	
M94	H	QMS2430	Reversing Roller Shaft	1		M131		XWG4	Flat Washer	4	СОММОН
M95	H	QSC1202	Spring	1	RS-1030US	M132		QBW2022	Poly Washer	3	
-	╁╌	OXP0559	Reversing Roller Assembly	1		M133		XUC5FT	Stop Ring 5¢	10	COMMON
M96 M97	H	QAP0333 QBP1714	Plate Spring	1		M134	11	XUC3FT	Stop Ring 3 ¢	31	n
l	$\left \cdot \right $		Roller	1		M135	17	XUC4FT	Stop Ring 4¢	4	п
M98	ı I	QDP1701	INUIO		<u> </u>	J L	نــــــــــــــــــــــــــــــــــــــ				<u> </u>

2

RS-1	. = 4	201	te
HS-	101	יטכ	υz

			,	RS-1500US								Damarka
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.		Part No.	Part Name &	Description	1	Pcs/ Set	Remarks
M136	XUC2FT	Stop Ring 2¢	3	COMMON	R23		ERD25TJ473	Carbon Resistor	1KΩ 1	/4W	1	
M137	XUC7FT	Stop Ring 7¢	1	"	R24		ERD25TJ103	n	10ΚΩ 1	/4W	1	
M138	XVE3CBFZS	Screw with Hexagon Hole	4		R25	1	ERD25TJ273	"	27ΚΩ 1	/4W	1	
M139	XXE3D10FZS	"	1	COMMON	R26	1	ERD25TJ103	"	10ΚΩ 1	/4 W	1	
M140	QHQ1248	"	14	"	R27	T	ERD25TJ562	н	5.6KΩ 1	/4 W	1	
M141	XSS26+6BV	Screw 26×6	2	"	R28	1	ERD25TJ103	"	10ΚΩ 1	/4W	1	
M142	XSN2+8BV	Screw 2×8	2	ıı .	R29		ERD25TJ473	"	47ΚΩ 1	/4 W	1	
M143	XSN2+4BV	Screw 2×4	2	n	R30	1	ERD25TJ562	"	5.6KΩ 1	/4W	1	
M144	XSN2+5BV	Screw 2×5	6	n	R31	- -	ERD25TJ332	"	3.3KΩ 1	/4 W	1_	
M145	XWG2FZ	Flat Washer	8	n .	R32	T	ERD25TJ473	11	47KΩ 1	/4W	i	
M146	QMF1858	Spring Holding Plate	1		R33	1	ERD25TJ562	"	5.6KΩ 1	/4 W	1	
10140	- Q 1000		-		R34	1	ERD25TJ474	n	470ΚΩ 1	/4W	1	
					R35	T	ERD25TJ823	"	82KΩ 1	/4W	1	
		RESISTORS			R36	T	ERD25TJ273	n	27ΚΩ	/4W	1	
R1	ERD25TJ102	Carbon Resistor 1KΩ 1/4W	1		R37	1	ERD25TJ103	n	10ΚΩ	/4W	1	
R2	ERD25TJ100	" 10Ω 1/4W	1		R38		ERD25TJ154	н	150ΚΩ	/4W	1	
R3	ERD25TJ102	" 1KΩ 1/4W	1		R39	T	ERD25TJ103	"	10ΚΩ	/4W	1	
R4	ERD25TJ100	" 10Ω 1/4W	1		R40		ERD25TJ473	"	47ΚΩ	/4W	1	
R5	ERD25TJ102	" 1KΩ 1/4W	1		R41		ERD25TJ103	"	10KΩ	/4W	1	
R6	ERD25TJ100	" 10Ω 1/4W	1		R42		ERD25TJ562	"	5.6ΚΩ	1/4W	1	
R7	ERD25TJ102	" 1KΩ 1/4W	1		R43		ERD25TJ221	"	220Ω	l/4W	1	
R8	ERD25TJ100	" 10Ω 1/4W	1		R44		ERD25TJ103	"	10KΩ	1/4W	1	
R9	ERD25TJ103	" 10KΩ 1/4W	1		R45		ERD25TJ222	"	2.2 KΩ	1/4W	1	
R10	ERD25TJ100	" 10Ω 1/4W	1		R46, 47, 48, 49		ERD25TJ103	"	10ΚΩ	1/4W	1	
R11	ERD25TJ103	" 10KΩ 1/4W	1		R50		ERD25TJ153	"	15KΩ	1/4W	1	
R12	ERD25TJ100	" 10Ω 1/4W	1		R51, 52		ERD25TJ471	"	470Ω	1/4W	2	
R13	ERD25TJ103	# 10KΩ 1/4W	1		R53, 54	П	ERD25TJ473	"	47 KΩ	1/4W	2	
R14	ERD25TJ100	" 10Ω 1/4W	1		R55	П	ERD25TJ474	,,	470ΚΩ	1/4W	1	,
R15	ERD25TJ103	" 10KΩ 1/4W	1		R56		ERD25TJ562	"	5.6KΩ	1/4W	1	
R16	ERD25TJ100	" 10Ω 1/4W	. 1		R57		ERD25TJ473	n	47ΚΩ	1/4W	1	
R17, 18	ERD25TJ103	" 10KΩ 1/4W	2		R58		ERD25TJ102	"	1ΚΩ	1/4W	1	
R19	ERD25TJ104	" 100ΚΩ 1/4₩	1		R59		ERD25TJ103	н	10ΚΩ	1/4W	1	
R20	ERD25TJ153	" 15KΩ 1/4W			R60	11	ERD25TJ562	, ,	5.6ΚΩ	1/4W	1	
R21	ERD25TJ562	" 5.6KΩ 1/4W			R61		ERD25TJ473	, "	47ΚΩ	1/4W	1	
	ERD25TJ103	" 10KΩ 1/4W			R62	$\dagger \dagger$	ERD25TJ103	"	10ΚΩ	1/4W	1	
R22	EKD2513103	" 10/113 1/411		_ 	·							





Ref. No.		Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Pa	art No.	Part Name 8	& Description	Pcs/ Set	Remarks
R63	\vdash	ERD25TJ822	Carbon Resistor 8.2 KΩ 1/4 W	1		R132	ERD25	TJ332	Carbon Resistor	3.3KΩ 1/4W	1	
R64	1-1	ERD25TJ271	" 270Ω 1/4W	1		R133	ERD25	TJ182	,,	1.8KΩ 1/4W	1	
R65	\vdash	ERD25TJ473	" 47KΩ 1/4W	1		R134	ERD25	TJ102	n	1KΩ 1/4W	1	
R66	II	ERD25TJ104	" 100KΩ 1/4W	1		R135	ERD25	TJ184	,,	180KΩ 1/4W	1	
R67	П	ERD25TJ822	" 8.2KΩ 1/4W	1		R136	ERD25	TJ101	,,	100Ω 1/4W	1	
R68	\sqcap	ERD25TJ271	" 270Ω 1/4W	1		R137	ERD25	TJ154	"	150KΩ 1/4W	1	
R69	T	ERD25TJ562	" 5.6KΩ 1/4W	1		R138	ERD25	TJ273	"	27KΩ 1/4W	1	
R70	Πİ	ERD25TJ151	" 150Ω 1/4W	1		R139	ERD25	TJ822	"	8.2KΩ 1/4W	1	
R71	П	ERD25TJ103	" 10KΩ 1/4W	1		R140	ERD25	TJ152	"	1.5KΩ 1/4W	1	
R72	П	ERD25TJ102	" 1KΩ 1/4W	1		R141	ERD25	TJ472	"	4.7KΩ 1/4W	1	
R101, 102	П	ERD25TJ471	" 470Ω 1/4W	2		R142	ERD25	5TJ332	"	3.3KΩ 1/4W	1	
R103	11	ERD25TJ392	" 3.9KΩ 1/4W	1		R143	ERD25	5TJ273	"	27KΩ 1/4W	1	
R105	П	ERD25TJ101	" 100Ω 1/4W	1		R144	ERD2	5TJ103	"	10KΩ 1/4W	1	
R106	\prod	ERD18TSJ153	# 15KΩ 1/8W	1		R145	ERD2	5TJ334	"	330 KΩ 1/4 W	1	
R107	П	ERD25TJ822	" 8.2KΩ 1/4W	1		R146	ERD2	5TJ823	"	82KΩ 1/4W	1	
R108		ERD25TJ331	" 330Ω 1/4W	1		R147	ERD2	5TJ153	"	15KΩ 1/4W	1	
R109	П	ERD25TJ102	" 1KΩ 1/4W	1		R148	ERD2	5TJ562	"	5.6KN 1/4W	1	
R110	П	ERD25TJ104	" 100KΩ 1/4W	1		R149	ERD2	5TJ472	"	4.7 KΩ 1/4 W	1	
R111		ERD25TJ682	" 6.8KΩ 1/4W	1		R150	ERD2	5TJ222	"	2.2KΩ 1/4W	1	
R112	\sqcap	ERD25TJ182	" 1.8KΩ 1/4W	1		R151	ERD2	5TJ123	"	12KΩ 1/4W	1	
R113		ERD25TJ472	" 4.7KΩ 1/4W	1		R152, 153	ERD2	5TJ102	"	1KΩ 1/4W	2	
R114	\sqcap	ERD25TJ273	" 27KΩ 1/4W	1		R154	ERD2	5TJ101	"	100Ω 1/4W	1	
R115	\Box	ERD25TJ682	" 6.8KΩ 1/4W	1		R155	ERD2	5TJ393	n	39KΩ 1/4W	1	
R116	T	ERD25TJ101	" 100Ω 1/4W	1		R156	ERD2	5TJ823	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	82KΩ 1/4W	1	
R117	П	ERD25TJ224	" 220KΩ 1/4W	1		R157, 158	ERD2	5TJ100	"	10Ω 1/4W	2	
R118		ERD25TJ471	" 470Ω 1/4W	1		R159	ERD2	5TJ152	"	1.5KΩ 1/4W	1	
R121, 122		ERD25TJ473	" 47KΩ 1/4W	2		R160	ERD2	5TJ151	"	150Ω 1/4W	1	
R123	П	ERD25TJ474	" 470KΩ 1/4W	1		R161	ERD2	5TJ330	,,	33Ω 1/4W	1	
R124		ERD25TJ333	" 33KΩ 1/4W	1		R162	ERD2	5TJ100	"	10Ω 1/4W	1	
R125	П	ERD25TJ153	" 15KΩ 1/4W	1		R163	ERD2	5TJ181	"	180Ω 1/4W	1	
R126	П	ERD25TJ222	" 2.2KΩ 1/4W	1		R164	ERD2	5TJ680	"	68Ω 1/4W	1	
R127		ERD25TJ103	" 10KΩ 1/4W	1		R165	ERD2	5TJ330	n	33Ω 1/4W	1	
R128,	T	ERD25TJ474	" 470KΩ 1/4W	2		R166	ERD2	5TJ271	"	270Ω 1/4W	1	
129	+		140 1/49	Τ.		1 0171	5000	ETILEA	·	150KO 1/4W	1	

R171

R172

ERD25TJ154

ERD25TJ101

R130

R131

ERD25TJ102

ERD25TJ472

1KΩ 1/4W

4.7KΩ 1/4W

1

"

150KΩ 1/4W

1000 1/4W

1

RS-1	50	oυ	S
------	----	----	---

				RS-1500US					H3-130000
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
R173	ERD18TSJ153	Carbon Resistor 15KO 1/8W	1		R216	ERD25TJ101	Carbon Resistor 100Ω 1/4W	1	
R174	ERD25TJ123	" 12KΩ 1/4W	1		R217	ERD25TJ224	" 220KΩ 1/4W	1	
R175	ERD25TJ470	. ,, 47Ω 1/4W	1		R221, 222	ERD25TJ473	" 47KΩ 1/4W	2	
R176	ERD25TJ104	" 100KΩ 1/4W	1		R223	ERD25TJ474	" 470KΩ 1/4W	1	
R177	ERD25TJ103	" 10KΩ 1/4W	1		R224	ERD25TJ333	" 33KΩ 1/4W	1	
R178	ERD25TJ222	" 2.2KΩ 1/4W	1		R225	ERD25TJ153	" 15KΩ 1/4W	1	
R179	ERD25TJ332	" 3.3KΩ 1/4W	1		R226	ERD25TJ222	" 2.2KΩ 1/4W	1	
R180	ERD25TJ394	" 390KΩ 1/4W	1		R227	ERD25TJ103	" 10KΩ 1/4W	1	
R181	ERD25TJ471	" 470Ω 1/4W	1		R228, 229	ERD25TJ474	" 470KΩ 1/4W	2	
R182	ERD25TJ683	" 68KΩ 1/4W	1		R230	ERD25TJ102	" 1KΩ 1/4W	1	
R183	ERD25TJ101	" 100Ω 1/4W	1		R231	ERD25TJ472	" 4.7KΩ 1/4W	. 1	
R184	ERD25TJ822	" 8.2KΩ 1/4W	1		R236	ERD25TJ101	" 100Ω 1/4W	1	
R185	ERD25TJ474	" 470KΩ 1/4W	1		R237	ERD25TJ154	" 150KΩ 1/4W	1	
R186	ERD25TJ682	" 6.8KΩ 1/4W	1		R238	ERD25TJ273	" 27KΩ 1/4W	1	
R187	ERD25TJ472	" 4.7KΩ 1/4W	1		R239	ERD25TJ822	" 8.2 KΩ 1/4 W	1	
R188	ERD25TJ102	" 1KΩ 1/4W	ì		R240	ERD25TJ152	" 1.5KΩ 1/4W	1	
R190	ERD25TJ101	" 100Ω 1/4W	1		R241	ERD25TJ472	» 4.7KΩ 1/4W	1	
R191	ERG1ANJ471	Metal-oxide Resistor 470Ω 1 W	1		R242	ERD25TJ332	" 3.3 KΩ 1/4 W	1	
R192	ERD25TJ273	Carbon Resistor 27 KΩ 1/4 W	1		R243	ERD25TJ273	" 27KΩ 1/4W	1	
R193, 194	ERD25TJ271	" 270Ω 1/4W	2		R244	ERD25TJ103	" 10ΚΩ 1/4₩	1	
R195	ERD25TJ153	" 15KΩ 1/4W	1		R245	ERD25TJ334	" 330KΩ 1/4W	1	
R197	ERD25TJ104	" 100KΩ 1/4W	1		R246	ERD25TJ823	" 82KΩ 1/4W	1	
R201, 202	ERD25TJ471	" 470Ω 1/4W	2		R247	ERD25TJ153	" 15KΩ 1/4W	1	•
R203	ERD25TJ392	" 3.9KΩ 1/4W	1		R248	ERD25TJ562	" 5.6KΩ 1/4V	1	
R205	ERD25TJ101	" 100Ω 1/4W	1		R249	ERD25TJ472	" 4.7 ΚΩ 1/4 V	/ 1	
R206	ERD18TJ153	" 15KΩ 1/8W	1		R250	ERD25TJ222	n 2.2KΩ 1/4V	/ 1	
R207	ERD25TJ822	" 8.2KΩ 1/4W	1		R251	ERD25TJ123	" 12KΩ 1/4V	/ 1	
R208	ERD25TJ331	" 330Ω 1/4W	1		R252, 253	ERD25TJ102	" 1KΩ 1/4V	/ 2	
R209	ERD25TJ102	" 1KΩ 1/4W	1		R254	ERD25TJ101	" 100Ω 1/4V	V 1	
R210	ERD25TJ104	" 100KΩ 1/4W	1		R255	ERD25TJ393	" 39KΩ 1/4V	V 1	
R211	ERD25TJ682	" 6.8KΩ 1/4W	1		R256	ERD25TJ823	" 82KΩ 1/4V	V 1	
R212	ERD25TJ182	" 1.8KΩ 1/4W	1		R257, 258	ERD25TJ100	" 10Ω 1/4\	V 2	
R213	ERD25TJ472	" 4.7KΩ 1/4W	1		R259	ERD25TJ152	n 1.5KΩ 1/4\	W 1	
R214	ERD25TJ273	" 27KΩ 1/4W	1		R260	ERD25TJ151	" 150Ω 1/4	N 1	
R215	ERD25TJ682	" 6.8KΩ 1/4W	1		R261	ERD25TJ330	" 33Ω 1/4	N 1	




_	
	B
	9
	9
	2

			Pr.s/	Remarks				Prs	Remarks
Ref. No.	Part No.	Part Name & Description	Pcs/ Set		Ref. No.	Part No.	Part Name & Description	Pcs/ Set	
R262	ERD25TJ100	Carbon Resistor 10Ω 1/4W	1		R315	ERD25TJ153	Carbon Resistor 15 KΩ 1/4 W	1	
R266	ERD25TJ271	" 270Ω 1/4W	1		R316	ERG12ANJ821	Metal-oxide Resistor 820Ω 1/2W	1	
R271	ERD25TJ154	" 150KΩ 1/4W	1		R317, 321	ERD25TJ271	Carbon Resistor 270Ω 1/4W	2	
R272	ERD25TJ101	" 100Ω 1/4W	1		R322	ERD18TF3301	" 3.3KΩ 1/8W	1	
R273	ERD18TSJ153	" 15KΩ 1/8W	1		R323	ERD18TF8201	" 8.2KΩ 1/8W	1	
R274	ERD25TJ123	" 12KΩ 1/4W	1		R324	ERD18TF3301	" 3.3KN 1/8W	1	
R275	ERD25TJ470	" 47Ω 1/4W	1		R325, 326	ERD25TJ474	" 470KΩ 1/4W	1	
R276	ERD25TJ104	" 100KΩ 1/4W	1		R327	ERD25TJ103	" 10KΩ 1/4W	1	
R277	ERD25TJ103	" 10KΩ 1/4W	1		R328	ERD25TJ822	" 8.2KΩ 1/4W	1	
R278	ERD25TJ222	" 2.2KΩ 1/4W	1		R329	ERD25TJ221	" 220Ω 1/4W	1	
R279	ERD25TJ332	" 3.3KΩ 1/4W	1		R330, 331	ERD25TJ154	" 150KΩ 1/4W	2	
R280	ERD25TJ394	" 390KΩ 1/4W	1		R332	ERD25TJ102	" 1KΩ 1/4W	1	
R281	ERD25TJ471	" 470Ω 1/4W	1		R333	ERD25TJ123	" 12KΩ 1/4W	1	
R282	ERD25TJ683	" 68KΩ 1/4W	1		R351, 352,	353, 354, 355, 356, 3	357, 358, 359		
R283	ERD25TJ101	" 100Ω 1/4W	1			ERD25TJ271	" 270Ω 1/4W	9	
R284	ERD25TJ822	" 8.2KΩ 1/4W	1		R401	ERD25TJ394	" 390KΩ 1/4W	1	
R285	ERD25TJ474	" 470KΩ 1/4W	1		R402	ERD25TJ273	" 27KΩ 1/4W	1	
R286	ERD25TJ682	" 6.8KΩ 1/4W	1		R403	ERD25TJ103	" 10KΩ 1/4W	1	
R287	ERD25TJ472	" 4.7KQ 1/4W	1		R404	ERD25TJ153	" - 15KΩ 1/4W	1	
R288	ERD25TJ102	" 1KΩ 1/4W	1		R405	ERD25TJ221	" 220Ω 1/4W	1	
R292	ERD25TJ273	" 27KΩ 1/4W	1		R406	ERD25TJ272	" 2.7KΩ 1/4W	1	
R293, 294	ERD25TJ271	" 270Ω 1/4W	2		R407	ERD25TJ271	" 270Ω 1/4W	1	
R297	ERD25TJ104	" 100KΩ 1/4W	1		R408	ERD25TJ273	" 27KΩ 1/4W	1	
R301	ERD25TJ394	" 390KΩ 1/4W	1		R409, 410	ERD25TJ102	" 1KN 1/4W	2	
R302	ERD25TJ273	" 27KΩ 1/4W	1		R412	ERD25TJ103	" 10KΩ 1/4W	1	
R303	ERD25TJ103	" 10KΩ 1/4W	1		R413	ERD25TJ154	" 150KΩ 1/4W	1	
R304	ERD25TJ153	" 15KΩ 1/4W	1		R414	ERD25TJ474	" 470KΩ 1/4W	1	
R305	ERD25TJ221	" 220Ω 1/4W	1		R415	ERD25FJ153	" 15KΩ 1/4W	1	
R306	ERD25TJ272	" 2.7KΩ 1/4W	1		R416	ERG12ANJ821	Metal-oxide Resistor 820Ω 1/2W	1	
R307	ERD25TJ271	" 270Ω 1/4W	1		R417, 421	ERD25TJ271	Carbon Resistor 270Ω 1/4 W	2	
R308	ERD25TJ273	" 27KΩ 1/4W	1		R422	ERD18TF3301	" 3.3KΩ 1/8W	1	
R309, 310	ERD25TJ102	" 1KΩ 1/4W	2		R423	ERD18TF8201	" 8.2KΩ 1/8W	1	
R312	ERD25TJ103	" 10KΩ 1/4W	1		R424	ERD18TF3301	" 3.3KΩ 1/8W	1	
R313	ERD25TJ154	" 150KΩ 1/4W	1		R425, 426	ERD25TJ474	" 470KΩ 1/4W	2	
R314	ERD25TJ474	" 470KΩ 1/4W	1		R427	ERD25T1103	" 10KΩ 1/4W	1	

0

 \sim

				RS-1500US					RS-1500US
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
R428	ERD25TJ822	Carbon Resistor 8.2 KΩ 1/4 W	1	·	R614	ERD25TJ222	Carbon Resistor 2.2 KΩ 1/4 W	1	
R429	ERD25TJ221	" 220Ω 1/4W	1		R615	ERD25TJ223	" 22KΩ 1/4W	1	-
R430, 431	ERD25TJ154	" 150KΩ 1/4W	2		R616	ERD25TJ472	" 4.7KΩ 1/4W	1	
R432	ERD25TJ102	" 1KΩ 1/4W	1		R617	ERG1ANJ332	Metal-oxide Resistor 3.3KΩ 1W	1	
R433	ERD25TJ123	" 12KΩ 1/4W	1		R618	ERG1ANJ101	" 100Ω 1W	1	
R451, 452,	453, 454, 455, 456, 4	457, 458, 459			R651	ERD25TJ472	Carbon Resistor 4.7KΩ 1/4W	1	
	ERD25TJ271	" 270Ω 1/4W	9		R652	ERD25TJ471	" 470Ω 1/4W	1	
R501	ERG1ANJ390	Metal oxide Resistor 39Ω 1 W	1		R653	ERD25TJ681	" 680Ω 1/4W	1	
R502	ERD25TJ392	Carbon Resistor 3.9KΩ 1/4W	1		R654	ERE3SJ221	" 220Ω 3W	1	
R503	ERD25TJ681	" 680Ω 1/4W	1		R655	ERD25TJ472	" 4.7KΩ 1/4W	i	
R504	ERD25TJ272	" 2.7 KΩ 1/4W	1		R656	ERD25TJ471	" 470Ω 1/4W	1	
R505	ERD25TJ471	" 470Ω 1/4W	1		R657	ERD25TJ681	" 680Ω 1/4W	1	
R506	ERD25TJ562	" 5.6KΩ 1/4W	1		R658	ERF5SJ680	″″ 68Ω 5W	1	
R507	ERD25TJ821	" 820Ω 1/4W	1		R701, 702, 7	03, 704			
R508, 509	ERD25TJ100	" 10Ω 1/4W	2			ERD25TJ103	" 10KΩ 1/4W	4	
R510	ERD25TJ472	" 4.7KΩ 1/4W	1		R705, 706	ERD25TJ472	" 4.7KΩ 1/4W	2	
R511, 512	ERD25TJ1R0	" 1Ω 1/4W	2		R707, 708	ERD25TJ152	" 1.5KΩ 1/4W	2	
R513	ERD25TJ471	" 470Ω 1/4W	1			11, 712, 713, 714			
R514	ERD25TJ472	" 4,7 KΩ 1/4W	1			ERD25TJ274	" 270KΩ 1/4W	6	
R515	ERD25TJ223	" 22KΩ 1/4W	1		R715, 716, 7	17, 718, 719, 720, 7	721, 722, 723, 724, 725, 726	1	
R516	ERD25TJ473	" 47KΩ 1/4W	1			ERG1ANJ181	Metal-oxide Resistor 180Ω 1 W	12	
R517	ERD25TJ273	" 27KΩ 1/4W	1		R727, 728	ERD25TJ103	Carbon Resistor 10 KΩ 1/4 W	2	
R601	ERD25TJ223	" 22KΩ 1/4W	1		R729, 730	ERX2ANJR47	Metal-oxide Resistor 0.47Ω 2 W	2	
R602	ERD25TJ471	" 470Ω 1/4W	1		R731, 732	ERD25TJ152	Carbon Resistor 1.5 KΩ 1/4 W	2	
R603	ERD25TJ472	" 4.7KΩ 1/4W	1		R733, 734	ERD25TJ392	" 3.9KΩ 1/4W	2	·
R604	ERD25TJ222	" 2.2KΩ 1/4W	1		R735, 736	ERD25TJ223	" 22KΩ 1/4W	2	
R605	ERD25TJ472	" 4.7KΩ 1/4W	1		R737, 738	ERD25TJ332	" 3.3KΩ 1/4W	2	
R606	ERD25TJ222	" 2.2KΩ 1/4W	1		R739, 740	ERD25TJ153	" 15KΩ 1/4W	2	
R607	ERD25TJ561	" 560Ω 1/4W	1		R741, 742,	743, 744	1		
R608	ERD25TJ103	" 10KΩ 1/4W	1			ERD25TJ223	" 22KΩ 1/4W	4	
R609	ERD25TJ223	" 22KΩ 1/4W	1		R745, 746	ERD25TJ682	" 6.8KΩ 1/4W	2	
R610	ERG12ANJ561	Metal-oxide Resistor 560Ω 1/2W	1		R747, 748	ERD25TJ103	" 10KΩ 1/4W	2	
R611	ERD25TJ472	Carbon Resistor 4.7 KΩ 1/4W	1		R749, 750	ERD25TJ333	" 33KΩ 1/4W	2	
R612	ERD25TJ222	" 2.2KΩ 1/4W	1		R791	ERD25TJ223	" 22KΩ 1/4W	1	
R613	ERD25TJ472	" 4.7ΚΩ 1/4W	1		R792	ERD25TJ103	" 10KΩ 1/4W	1	



2
-
120
22

			N3-100003			T		D1
Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
ERD25TJ562				R894	ERD25TJ103	Carbon Resistor 10 KΩ 1/4 W	1	
ERD251J302 ERD25TJ272				R895	ERD25TJ473	" 47KΩ 1/4W	1	
ERD251J272				R897	ERD25TJ184	" 180KΩ 1/4W	1	
ERD25TJ222				R901, 902	ERD25TJ102	" 1KΩ 1/4W	2	
ERD25TJ272				R903	ERD25TJ473	" 47KΩ 1/4W	1	
ERD251J473		+		R904	ERD25TJ331	" 330Ω 1/4W	1	
ERD25TJ222				R905	ERD25TJ223	" 22KΩ 1/4W	1	
ERD25TJ473				R906	ERD25TJ333	" 33KΩ 1/4W	1	
ERD25TJ103				R907	ERD25TJ472	" 4.7KΩ 1/4W	1	
ERD25TJ562		-+		R908	ERD25TJ561	" 560Ω 1/4W	1	
17, 818				R909	ERD25TJ102	" 1KΩ 1/4W	1	
ERD25TJ273	" 27KΩ 1/4W	V 4		R910	ERD25TJ183	" 18KΩ 1/4W	1	
ERD25TJ330				R911	ERD25TJ103	" 10KΩ 1/4W	1	
ERD25TJ103		V 2		R912, 913	ERD25TJ223	" 22KΩ 1/4W	2	
ERD25TJ273		V 2		R914	ERD25TJ102	" 1KΩ 1/4W	1	
ERD25TJ473				R915	ERD25TJ105	" 1MΩ 1/4W	1	
29, 830				R916	ERD25TJ561	" 560Ω 1/4W	1	
ERD25TJ273	" 27KΩ 1/4W	V 4		R917	ERD25TJ152	" 1.5KΩ 1/4W	1	
ERD25TJ103		V 2		R918, 919	ERD25TJ472	" 4.7KΩ 1/4W	2	
ERD25TJ272		V 2		R920	ERD25TJ223	" 22 KΩ 1/4 W	1	
ERD25TJ273		V 2		R921	ERD25TJ332	" 3.3 KΩ 1/4W	1	
ERD25TJ823		V 1		R922	ERD25TJ103	" 10KΩ 1/4W	1	
ERD25TJ154		V 1		R923	ERD25TJ223	" 22KΩ 1/4W	1	
ERD25TJ103		V 2		R924	ERD25TJ332	" 3.3KΩ 1/4W	1	
ERD25TJ272		V 2		R925, 926	, 927			
ERD25TJ822		V 2			ERD25TJ103	" 10KΩ 1/4W	3	
ERD25TJ273		V 1		R928	ERD25TJ223	" 22KΩ 1/4W	1	
ERD25TJ823		V 1		R929	ERD25TJ823	" 82KΩ 1/4W	1	
ERD25TJ153		V 1		R930	ERD25TJ102	" 1KΩ 1/4W	1	
ERD25TJ394		W 1		R932	ERD25TJ330	" 33Ω 1/4W	1	
ERD25TJ274		N 2		R933	ERD25TJ474	" 470KΩ 1/4W	1	
ERD25TJ103		W 1		R934	ERD25TJ102	" 1KΩ 1/4W	1	
				R935	ERD25TJ153	" 15KΩ 1/4W	1	
ERD25TJ103				R936	ERD25TJ473	" 47KΩ 1/4W	1	
				R937	ERD25TJ222	" 2.2KΩ 1/4W	1	
ERD25TJ221 ERD25TJ103 ERD25TJ272	3 " 10ΚΩ 1/4Ψ	W 1		R936	ERD25TJ473	" 47KΩ 1/4W	1	

) 20

RS	-1	5	00	U	S

		0.00	Pcs/	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
Ref. No.	Part No.	Part Name & Description	Set		-			Set	
R938	ERD25TJ820	Carbon Resistor 82Ω 1/4W	1		R984	ERD25TJ151	Carbon Resistor 150Ω 1/4W	1	
R939	ERD25TJ221	" 220Ω 1/4W	1		R985	ERD25TJ152	" 1.5KΩ 1/4W	1	
R940	ERD25TJ102	" 1KΩ 1/4W	1		R986	ERD25TJ562	" 5.6KΩ 1/4W	1	
R941	ERD25TJ124	" 120KΩ 1/4W	1		R987	ERD25TJ182	" 1.8KΩ 1/4W	1	
R942	ER025CKF1003	Metal-oxide Resistor 100 KΩ 1/4 W	1		R988, 989	ERD25TJ103	" 10KΩ 1/4W	2	
R943	ERD25TJ472	Carbon Resistor 4.7 KΩ 1/4 W	1		R990	ERD25TJ823	" 82 KΩ 1/4 W	1 1	
R944	ERD25TJ102	" 1KΩ 1/4W	1		R991, 992	ERD25TJ103	" 10KΩ 1/4W	2	
R945, 946	ERD25TJ103	" 10KΩ 1/4W	2		R993, 994	ERD25TJ562	" 5.6KΩ 1/4W	2	
R947	ERD25TJ331	" 330Ω 1/4W	1		R995, 996	ERD25TJ332	" 3.3KΩ 1/4W	2	
R948	ERD25TJ106	" 10MΩ 1/4W	1		R997	ERD25TJ271	" 270Ω 1/4W	1	
R949	ERD25TJ103	" 10KΩ 1/4W	1		R998	ERD25TJ273	" 27KΩ 1/4W	1	
R950	ERD25TJ820	" 82Ω 1/4W	1		R999	ERD25TJ271	" 270Ω 1/4W	1	
R951	ERD25TJ223	" 22KΩ 1/4W	1		R1000	ERD25TJ393	" 39KΩ 1/4W	1	
R952, 953	ERD25TJ103	" 10KΩ 1/4W	2		R1001	ERD25TJ122	" 1.2KΩ 1/4W	1	
R954	ERD25TJ472	" 4.7KΩ 1/4W	1		R1002	ERD25TJ822	" 8.2KΩ 1/4W	1	
R955	ERD25TJ103	" 10KΩ 1/4W	1		R1003	ERD25TJ104	" 100KΩ 1/4W	1	
R956	ERD25TJ102	" 1KΩ 1/4W	1		R1004, 1005	ERD25TJ103	" 10KΩ 1/4W	2	
R957	ERD25TJ123	" 12KΩ 1/4W	1		R1006	ERD25TJ473	" 47KΩ 1/4W	1	
R958	ERD25TJ330	" 33Ω 1/4W	1		R1007, 1008	ERD25TJ103	" 10KΩ 1/4W	2	
R959	ERD25TJ474	" 470KΩ 1/4W	1		R1009	ERD25TJ153	" 15KΩ 1/4W	1	
R960	ERD25TJ102	" 1KΩ 1/4W	1		R1010	ERD25TJ472	" 4.7KΩ 1/4W	1	
R961	ERD25TJ153	" 15KΩ 1/4W	1		R1011	ERD25TJ821	" 820Ω 1/4W	1	
R962	ERD25TJ274	" 270KΩ 1/4W	1		R1012	ERD25TJ332	" 3.3KΩ 1/4W	1	
R963	ERG1ANJ331	Metal-oxide Resistor 330Ω 1 W	1		R1013	ERD25TJ123	" 12KΩ 1/4W	1	
R971	ERD25TJ562	Carbon Resistor 5.6KΩ 1/4W	1		R1014, 1015	ERD25TJ103	" 10KΩ 1/4W	2	
R972	ERD25TJ272	" 2.7KΩ 1/4W	1		R1051, 1052	ERD25TJ473	" 47KΩ 1/4W	2	
R973	ERD25TJ223	" 22KΩ 1/4W			R1053	ERD25TJ104	" 100KΩ 1/4W	1	
R974	ERD25TJ103	" 10ΚΩ 1/4₩			R1054, 1055	ERD25TJ473	" 47KΩ 1/4W	2	
R974	ERD25TJ561	" 560Ω 1/4W			R1056	ERD25TJ104	" 100KΩ 1/4W	1	
R976, 977	ERD25TJ332	" 3.3KΩ 1/4W							
							VARIABLE RESISTORS		
R978, 979		" 100ΚΩ 1/4₩	/ 3		VR101	EVLS3AA00B55	Semi-fixed Variable 500 KΩ(B)	1	
	ERD25TJ104	1000 1/40			VR102, 103	J	1/03/31/01		
R981	ERD25TJ103		-+			EWFFWAR30A24	Variable Resistor 20ΚΩ(A)	4	
R982	ERD25TJ152	" 1.5ΚΩ 1/4Ψ			VR104	EVLS3AA00B54	Semi-fixed Variable 50K0(B)	1.	
R983	ERX1ANJ2R2	Metal-oxide Resistor 2.2Ω 1 V	V 1		1	1 2.200.17100004	Resistor 30/47(B)		

1	6
	N
	B
	4
	3
	90
	?

			Prs/	Remarks	D-(A)	David Ma	Doub Nove P D	intian	Pcs/	Remarks
Ref. No.	Part No.	Part Name & Description	Pcs/ Set		Ref. No.	Part No.	Part Name & Desc	cription	Pcs/ Set	
VR105	EVLS3AA00B53	Semi-fixed Variable 5KO(B) Resistor	1		C101	ECEA50M1	Electrolytic Capacitor	1µF	1	
VR106	EVLS3AA00B24	" 20KΩ(B)	1		C102	ECEA35V10	"	10µF	1	
VR107, 207	EWFFWAR30A24	Variable Resistor 20 KΩ(A)	2		C103	ECCD1H101K	Ceramic Capacitor	100 pF	1	
VR108	EVLS3AA00B52	Semi-fixed Variable 500 Ω(B)	1		C104	ECEA10V100	Electrolytic Capacitor	100μF	1	
VR109	EVNK4AA00B25	" 200 KΩ(B)	1		C105	ECCD1H470KC	Ceramic Capacitor	47 pF	1	
VR201	EVLS3AA00B55	" 500KΩ(B)	1		C106	ECEA16V33	Electrolytic Capacitor	33μF	1	
VR204	EVLS3AA00B54	" 50KΩ(B)	1		C107	ECKD1H471KB	Ceramic Capacitor	470 pF	1	
VR205	EVLS3AA00B53	" 5KΩ(B)	1		C108	ECEA16V33	Electrolytic Capacitor	33µF	1	
VR206	EVLS3AA00B24	" 20KΩ(B)	1		C109	ECEA16V10	"	10 <i>µ</i> F	1	
VR208	EVLS3AA00B52	" 500Ω(B)	1		C110	ECEA25V100	"	100µF	1	
VR209	EVNK4AA00B25	" 200KΩ(B)	1		C111	ECCD1H101K	Ceramic Capacitor	100 pF	1	
VR501	EVLS3AA00B14	" 10KΩ(B)	1		C113	ECEA25N3R3	Electrolytic Capacitor	3.3µF	1	
VR502, 503	EVLS3AA00B53	" 5KΩ(B)	2		C114	ECEA10V100	"	100µF	1	,
VR504, 505	EVLS3AA00B24	" 20KΩ(B)	2		C115	ECEA35V10	H	10 <i>μ</i> F	1	
VR506	EVLS3AA00B53	" 5KΩ(B)	1		C116, 121	ECEA16V10	"	10µF	2	
VR601, 602	EVNK4AA00B13	" 1ΚΩ(Β)	2		C122	ECEA25V100	"	100 <i>μ</i> F	1	
VR801, 802	EVLSOAA00B15	" 100ΚΩ(Β)	2		C123	ECCD1H101K	Ceramic Capacitor	100pF	1	
VR901	EVLS0AA00B54	" 50KΩ(B)	1		C124	ECEA35V10	Electrolytic Capacitor	10 <i>μ</i> F	1	
VR902, 903	QVKF25B24	Variable Resistor 20KΩ(B)	1		C125	ECQM05332JZ	Mylar Capacitor	0.0033µF	1	
VR904	EVLSOAA00B24	Semi-fixed 20KΩ(B)	1		C126	ECEA16V10	Electrolytic Capacitor	10μF	1	
VR905	EVLSQAAQQB54	" 50ΚΩ(Β)	1		C127	ECEA16V33	"	33 <i>µ</i> F	1	
					C128	ECQS1681JZ	Strol Capacitor	680 pF	1	
		CAPACITORS			C129	ECEA16V10	Electrolytic Capacitor	10 <i>μ</i> F	1	
C1, 2, 3, 4,	5, 6, 7, 8, 9, 10, 11, 1	2, 13, 14, 15			C130	ECCD1H101K	Ceramic Capacitor	100 pF	1	
	ECKD1H103PF	Ceramic Capacitor 0.01 µF	15		C131	ECQM05104JZ	Mylar Capacitor	0.1 <i>µ</i> F	1	
C16	ECEA16Z10	Electrolytic Capacitor 10µF	1		C132	ECEA6V330	Electrolytic Capacitor	330µF	1	
C17	ECEA16V47	" 47 µF	1		C133, 134	ECEA35V10	"	10µF	2	
C18, 19	ECEA16V10	" 10μF	2		C135	ECQM05182KZ	Mylar Capacitor	0.0018µF	1	
C20	ECEA10V100	" 100μF	1		C136	ECQM05822JZ	"	0.0082μF	1	
C21, 22	ECQM05683MZ	Ceramic Capacitor 0.0068µF	2		C137	ECQM05562JZ	"	0.0056µF	1	
C23	ECEA50Z2R2	Electrolytic Capacitor 2.2 µF	1		C138	ECQM05332JZ	n	0.0033μF	1	
C24	ECEA16Z10	" 10μF	1		C139	ECQM05183JZ	"	0.018 <i>µ</i> F	1	
C25	ECEA50Z3R3	" 3.3µF	1		C140	ECQM05153JZ	"	0.015µF	1	
C26	ECQM05104MZ	Ceramic Capacitor 0.01 µF			C141	ECQM05123JZ	"	0.012 <i>µ</i> F	1	
C27	ECEA6V220	Electrolytic Capacitor 220µF	1		C142	ECQM05333JZ	n n	0.033µF	1	
L~~,	20207220	F = =		<u> </u>						

10 -

1

RS-1500US	กบร	\mathbf{o}	5	-1	3.5	F
-----------	-----	--------------	---	----	-----	---

				RS-1500US					RS-1500US
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs, Set	/ Remarks
C143	ECOM05273JZ	Mylar Capacitor 0.027 µF	1		C191	ECKQ1H223PF	Ceramic Capacitor 22000 pF	1	
144	ECQM05223JZ	" 0.022μF	1		C193, 194	ECEA16V10	Electrolytic Capacitor 10µF	2	
0146, 147	ECCD1H101K	Ceramic Capacitor 100 pF	2		C195	ECQM05473MZ	Mylar Capacitor 0.047 µF	1	
2151	ECEA50M1	Electrolytic Capacitor 1µF	1		C201	ECEA50M1	Electrolytic Capacitor 1μF	1	
2152	ECEA16V10	" 10μF	1		C202	ECEA35V10	η 10μF	1	
2153	ECCD1H101K	Ceramic Capacitor 100 pF	1		C203	ECCD1H101K	Ceramic Capacitor 100 pF	1	
154	ECEA6V330	Electrolytic Capacitor 330µF	1		C204	ECEA10V100	Electrolytic Capacitor 100μF	1	
2155	ECCD1H470KC	Ceramic Capacitor 47 pF	1		C205	ECCD1H470KC	Ceramic Capacitor 47 pF	1	
2156	EČEA16V33	Electrolytic Capacitor 33µF	1		C206	ECEA16V33	Electrolytic Capacitor 33µF	1	
0157	ECKD1H471KB	Ceramic Capacitor 470 pF	1		C207	ECKD1H471KB	Ceramic Capacitor 470 pF	1	
C158	ECEA16V33	Electrolytic Capacitor 33µF	1		C208	ECEA16V33	Electrolytic Capacitor 33µF	1	
C159	ECEA35V10	" 10μF	1		C209	ECEA16V10	" 10μF	1	
C160	ECEA25V100	" 100μF	1		C211	ECCD1H101K	Ceramic Capacitor 100 pF	1	
C161	ECQM05682JZ	Mylar Capacitor 0.0068μF	1		C213	ECEA25N3R3	Electrolytic Capacitor 3.3µF	1	
2162	ECQM05473JZ	υ 0.047μF	1		C214	ECEA10V100	" 100μF	1	
2163	ECKD1H471KB	Ceramic Capacitor 470 pF	1		C215	ECEA35V10	п 10µГ	1	
0164	ECEA16V10	Electrolytic Capacitor 10µF	1		C216	ECEA16V10	и 10µF	1	
C171	ECEA16V10	" 10μF	ī		C221	ECEA16V10	" 10µГ	1	
2172	ECEA16V33	" 33μF	1		C222	ECEA25V100	" 100µl	: 1	
2173	ECKD1H102PF	Ceramic Capacitor 1000 pF	1		C223	ECCD1H101K	Ceramic Capacitor 100 pl	: 1	
0174	ECCD1H101K	" 100 pF	1		C224	ECEA35V10	Electrolytic Capacitor 10µl	- 1	
2175	ECEA50V1	Electrolytic Capacitor 1μF	1		C225	ECQM05332JZ	Mylar Capacitor 0.0033µl	- 1	
0176	ECQM05182KZ	Mylar Capacitor 0.0018µF	1		C226	ECEA16V10	Electrolytic Capacitor 10µl	F 1	
2177	ECEA50V1	Electrolytic Capacitor 1µF	1		C227	ECEA16V33	,, 33 _µ l	F 1	1
2178	ECEA16V33	и 33µF	1		C228	ECQS1681JZ	Strol Capacitor 680 p	F 1	1
2179	ECCD1H101K	Ceramic Capacitor 100 pF	1		C229	ECEA16V10	Electrolytic Capacitor 10µ	F 1	1
2181	ECEA50ZR1	Electrolytic Capacitor 0.1 µF	1		C230	ECCD1H101K	Ceramic Capacitor 100 p	F :	1
C182	ECKD1H102PF	Ceramic Capacitor 1000 pF	1		C231	ECQM05104JZ	Mylar Capacitor 0.1μ	F	1
2183	ECEA10V100	Electrolytic Capacitor 100µF	1		C232	ECEA6V330	Electrolytic Capacitor 330µ	F	1
C185	ECEA16V10	" 10µF	1		C233, 234	ECEA35V10	" 10μ	F :	2
C186	ECCD1H101K	Ceramic Capacitor 100 pF	1		C235	ECQM05182KZ	Mylar Capacitor 0.0018µ	F	1
C187	ECEA16V10	Electrolytic Capacitor 10µF	1		C236	ECQM05822JZ	" 0.0082µ	F	1
	ECQM05102KZ	Semi-conductor Capacitor 1000 pF	1		C237	ECQM05562JZ	" 0.0056µ	F	1
C188	ECEA50V3R3	Electrolytic Capacitor 3.3µF			C238	ECQM05332JZ	" 0.0033 ₄	F	1
C189			-+		C239	ECQM05183JZ	" 0.018 ₄	F	1
C190 }	ECKD1H223PF	Ceramic Capacitor 22000 pF		<u> </u>	ر				

| = |



Cr rage us

RS.		

	П		Deat Manage & Description	Pcs/	Remarks	Dof No	П	Part No	Part Name & Descr	intion	Pcs/ Set	Remarks
Ref. No.	1	Part No.	Part Name & Description	Pcs/ Set		Ref. No.		Part No.		·		
C240	+	ECQM05153JZ	Mylar Capacitor 0.015μF	1		C289	\prod	ECEA50V3R3	Electrolytic Capacitor	3.3µF	1	
C241	\sqcap	ECQM05123JZ	" 0.012μF	1		C293, 294	\coprod	ECEA16V10	, ,	10µF	2	
C242	1	ECQM05333JZ	Mylar Capacitor 0.033µF	1		C501	\coprod	ECEA35V47		47μF	1	
C243	\sqcap	ECQM05273JZ	и 0.027 <i>µ</i> F	1		C502	\coprod	ECQM05393KZ	Mylar Capacitor	0.039µF	1	
C244	$ \uparrow \rangle$	ECQM05223JZ	" 0.022μF	1		C503, 504	Ц	ECCD1H470KC	Ceramic Capacitor	47 pF	2	
C246, 247	H	ECCD1H101K	Ceramic Capacitor 100 pF	2		C505, 506	Ц	ECQF4223KZ	"	0.022μF	2	
C251	\sqcap	ECEA50M1	Electrolytic Capacitor 1µF	1		C507	Ц	ECEA35V10	Electrolytic Capacitor	10 <i>µ</i> F	1	
C252	\prod	ECEA16V10	н 10µF	1		C508	\coprod	ECQM05104MZ	Mylar Capacitor	0.1 <i>µ</i> F	1	
C253	$\dagger \dagger$	ECCD1H101K	Ceramic Capacitor 100 pF	1		C509	\prod	ECQF6562KZH	n	0.0056µF	1	
C254	††	ECEA6V330	Electrolytic Capacitor 330µF	1		C510, 511	\coprod	ECQS1331JZ	Strol Capacitor	330 pF	2	
C255	П	ECCD1H470KC	Ceramic Capacitor 47 pF	1		C512	\coprod	ECKD1H103PF	Ceramic Capacitor	0.01 <i>µ</i> F	1	
C256	$\dagger \dagger$	ECEA16V33	Electrolytic Capacitor 33µF	1		C514	\coprod	ECQM05104MZ	Mylar Capacitor	0.1 <i>µ</i> F	1	
C257	П	ECKD1H471KB	Ceramic Capacitor 470 pF	1		C515		ECQM05473MZ	"	0.047 <i>µ</i> F	1	
C258	П	ECEA16V33	Electrolytic Capacitor 33 µF	1		C601		ece tonesang		30 Sept. 10		的基础的 是一个一个一个一个
C259	П	ECEA35V10	n 10μF	1		C602	Ц	ECEA50V47	"	47μF	1	
C260	П	ECEA25V100	" 100μF	1		C603	\prod	ECEA16V330	"	330µF	1	
C261	П	ECQM05682JZ	Mylar Capacitor 0.0068µF	1		C604	\coprod	ECKD1H103PF	Ceramic Capacitor	0.01 µF	1	
C262	П	ECQM05473JZ	ν 0.047μF	1		C605		ECEA35V10	Electrolytic Capacitor	10μF	1	
C263	П	ECKD1H471KB	Ceramic Capacitor 470 pF	1		0606		FEETVERASSO				
C271	П	ECEA16V10	Electrolytic Capacitor 10µF	1		C607		ECEA50V1	п	1 <i>μ</i> F	1	
C272	П	ECEA16V33	" 33 _и F	1		0608		Į (EASISVIES)				
C273	П	ECKD1H102PF	Ceramic Capacitor 1000 pF	1		C609	Ш	-EGETBBV2200	N. S. Sant Francisco	建筑 2007年)	129	
C274	П	ECCD1H101K	" 100 pF	1		C610		ECEA35V47	II	47μF	1	WATER CONTROL OF THE
C275	П	ECEA50V1	Electrolytic Capacitor 1µF	1		C611		ECEASOV)				
C276	\prod	ECQM05182KZ	Mylar Capacitor 0.0018μF	1		C612	Ц	ECKD1H103PF	Ceramic Capacitor	0.01μF	1	
C277	\prod	ECEA50V1	Electrolytic Capacitor 1 _µ F	1		C613		ECEA35V10	Electrolytic Capacitor	10 <i>μ</i> F	1	
C278	\prod	ECEA16V33	" 33μF	1		G614°		EGEARBY33G	100 m			
C279	\prod	ECCD1H101K	Ceramic Capacitor 100 pF	1		C618	爓	ECET 28R22004				
C281	\prod	ECEA50ZR1	Electrolytic Capacitor 0.1 µF	1		C617		ECEA50V1	"	1 <i>μ</i> F	1	
Ç282	\prod	ECKD1H102PF	Ceramic Capacitor 1000 pF	1		C618		FORVEASED.		Carrier and the second		
C283	\prod	FCEA10V100	Electrolytic Capacitor 100µF	1		C651	\coprod	ECEA16V10	"	10 <i>µ</i> F	1	
C285	\sqcap	ECEA16V10	п 10µF	1		C652		ECEA16V33	ıı .	33 <i>µ</i> F	1	
C286	T	ECCD1H101K	Ceramic Capacitor 100 pF	1		C701, 7	02, 7	703, 704, 705, 706				
C287	\uparrow	EOEA16V10	Electrolytic Capacitor 10µF	1				ECQM05473MZ	Semi-conductor Capacitor	r 0.047μF	6	
C288	T	ECFWD102KVY	Semi-conductor Capacitor 1000 pF	1		C707, 708		ECQM05103KZ	n	0.01μF	2	


12 —



RS-	1	6	α	'n	21
no.	٠,	0	v	"	, 3

				RS-1500US					RS-1600US
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
C709, 710	ECQM05683MZ	Semi-conductor Capacitor 0.068µF	2		C921, 922	ECQM05473MZ	Semi-conductor Capacitor 0.047µF	2	
	713, 714, 715, 716				C923	ECEA50ZR33	Electrolytic Capacitor 0.33µF	1	
	ECEA25N10	Electrolytic Capacitor 10μF	6		C924	ECEA16V33	<i>п</i> 33µF	1	
C717, 718	ECQM05102KZ	Semi-conductor Capacitor 0.001 µF	2		C925	ECQM05103KZ	Mylar Capacitor 0.01 µF	1	
718 C719, 720	ECCD1H101K	Ceramic Capacitor 100 pF	2		C927, 928	ECQM05103KZ	Semi-conductor Capacitor 0.01µF	2	
C791	ECCD1H221K	" 220 pF	1		C931	ECQM05822KZ	" 0.0082μF	1	
C792	ECOMO5153MZ	Semi-conductor Capacitor 0.015 µF	1		C932	ECCD1H221K	Ceramic Capacitor 220 pF	1	
C801,802, 803,804	ECQM05683MZ	" 0.068μF	4		C933	ECEA16V10	Electrolytic Capacitor 10µF	1	
C805,	ECEA50V1	Electrolytic Capacitor 1µF	2		C934, 935,	936			
C805, 806 C807, 808	ECEA16V10	,, 10μF	2			ECEA50ZR22	" 0.22μF	3	
808 C809, 810	ECEA50V1	, 1μF	2		C937, 938,	939			
810 C811, 812	ECEA25Z4R7	,, 4.7µF	2			ECEA50N1	Electrolytic Capacitor 1 μF	3	
812 C813, 814	ECEA16V33	и 33µF	2		C943	ECKD1H471KB	Ceramic Capacitor 470 pF	1	
C816	ECEA16V10	" 10µF	1		C944	ECQM05102KZ	Semi-conductor Capacitor 0.001 µF	1	
C817	ECEA35V4R7	,, 4.7μF	1		C945	ECQM05333MZ	η 0.033μF	1	
C892	ECEA10V100	" 100μF	1		C946	ECQM05103KZ	" 0.01μF	1	
C893	ECEA16V33	" 33μF	1		C947	ECQM05333MZ	η 0.033μF	1	
C901	ECQM05333MZ	Semi-conductor Capacitor 0.033µF	1				·		
C902	ECEA35V4R7	Electrolytic Capacitor 4.7μF	1				COMBINATION PART		
C902	ECEA16V10	" 10µF	1		2601	QCRFWR1	Combination Part		M.W. G. Francisco
C905	ECOM05102KZ	Semi-conductor Capacitor 0.001 µF	1						
C906	ECEA16V10	Electrolytic Capacitor 10µF	1]]		TRANSISTORS		
C907	ECEA16V33	" 33µF	1		Tr1, 2, 3	2SA719(R)	Transistor	3	
C908	ECOM05104KZ	Mylar Capacitor 0.1µF	1		Tr4, 5, 6, 7	, 8, 9, 10, 11, 12			
C909	ECQM05223MZ	Semi-conductor Capacitor 0.022µF	1			2SC828(S)	n .	9	
C910	ECQM05472KZ	" 0.0047μF	1		Tr13	2SC1317(R)	"	1	
C911	ECQM05102KZ	" 0.001µF	1		Tr14	2SC828	n .	1	
C912	ECKD1H471KB	Ceramic Capacitor 470 pF	1		Tr15, 16	2SA564(S)	"	2	
C913	ECQM05563JZ	Mylar Capacitor 0.056µF	1		Tr17	2SC828	"	1	
C914	ECQM05332KZ	" 0.0033µF	1		Tr18, 19	2SC719(R)	n .	2	
C914	ECQM05332XZ ECQM05333JZ	" 0.033μF	1		Tr20	2SA564(S)	"	1	
I	ECQM053333Z ECQM05104JZ	η 0.1μF	1		Tr21	2SC828(S)	"	1	
C916		" 0.082µF			Tr22, 23	2SC1317(R)	н	2	
C917	ECQM05823JZ	Semi-conductor Capacitor 0.01 µF			Tr24, 25,	26, 27, 28, 29		1	
C918	ECQM05103KZ		٠.		1	2SC828(S)	n	6	
C919. 920	ECCD1H220KC	Ceramic Capacitor 22 pF	-1-2						





		7		7.5-7.50003		_	·		.,	RS-1500US	
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.		Part No.	Part Name & Description	Pcs/ Set	, Remarks ·	
30	2SC1317(R)	Transistor	1		Tr214	П	2SA683(R)	Transistor	1		1
r31, 32 33	2SC828(S)	"	3		Tr215, 21	6, 2	17, 218, 219, 220,	221, 222, 223	1		10
r101, 102	2SC1327(U)	"	2				2SC828(S)	II .	9		1
r103	2SC1684(S)	"	1		Tr224, 225		2SC1327(U)	"	2		. `
r104	2SK660	н	1		Tr226		2SC1684(S)	"	1		
r105	2\$C1684	"	1		Tr227		2SC828(S)	"	1		
r106	2SC1317(S)	"	1		T228	T	2SC1317(S)	"	1		
r107	2SA564(S)	"	1		Tr230		2SC1684(S)	"	1		L
r108	2SC828(S)	"	1		Tr231	1	2SA564(S)	"	1		3
r109	2SC1684(S)	n .	1		Tr232		2SC1317(S)	"	1		~
r110	2SC828(S)	"	1		Tr233, 23	4, 2:	35, 236, 237		1		
r111, 112	2SC1684(S)	н	2			T	2SC828(S)	n,	5		1
r113	2SC1383(R)	n	1		Tr501	7	2SC1407(R)	"	1		6
r114	2SA683(R)	"	1		Tr502, 503	1	2SC828(S)	"	2		
r115, 116,	, 117, 118, 119, 120,	121, 122, 123			Tr504, 505	T	2SC1407(R)	"	2		Z
	2SC828(S)	ıı .	9		Tr506, 507	T	2SC828(S)	"	2		2
r124, 125	2SC1327(U)	"	2		Tr601	T	2SD334	"	1		1
r126	2SC1684(S)	n	1		Tr602	7	2SC1383	"	1		ĺ
r127	2SC828(S)	,,	1		Tr603	T	2SC1684	"	1		ĺ
r128	2SC1317(S)	,,	1		Tr604	1	2SC1846Q	"·	1		1
r129	2SA564(S)	"	1		7:808 T				_	强致 观点的对应。 11 10 10 10 10 10 10 10 10 10 10 10 10	
r130	2SC1684(S)	H	1		Tr606		2SC1407	# 1852 1	1	4.4.3.7.2.5.	
r131	2SA564(S)	"	1		Tr607		2SC1684	n .	1	·	l
r132	2SC1317(S)	"	1		Tr608	\dagger	2885120	n .	1		l
133, 134,	, 135, 136, 137				Tr609, 651	-+-	2SC828(A)	"	2		ĺ
	2SC828(S)	"	5	-	Tr652, 653		2SC1384	ıı .	2		i
r201, 202	2SC1327(U)	,,	2		Tr654	-	2SC828(A)	"	1		i
r203	2SC1684(S)	"	1		Tr655, 656	+-	2SC1384	"	2		l
204	2SK660	ıı .	1		Tr701, 702				† <u> </u>		
205	2SC1684	"	1			I	2SA564(T)	"	4		ĺ
r206	2SC1317(S)	"	1		Tr705, 706		07, 708, 709, 710		Ť		l
209	2SC1684(S)	ıı	1			\neg	2SA721(U)	"	6		l
r210	2SC828(S)	n n	1		Tr711, 712		13, 714, 715, 716	PROCESS OF THE PROCES	╅		i
r211, 212	2SC1684(S)	"	2				2SC1383(S)	"	6		ĺ
212	ļ				L				<u> </u>		i

- 14 -

2SC1383(R)

RS-1500US RS-1500US

Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
Tr717, 718.	719, 720, 721, 722				Tr910, 911,	, 912, 913, 914			
	2SB5120	Transistor	6			2SC828(T)	Transistor	5	
Tr723, 724	725, 726, 727, 728				Tr915	2SC1317(S)	n n	1	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2\$C1327(U)	"	6		Tr916	2SA564(T)	n .	1	
Tr729, 730	731, 732, 733, 734				Tr917	2SC1317(S)	"	1	
	2SA683(S)	n .	6		Tr918	2SA721(U)	n .	1	
Tr735, 736	737, 738, 739, 740, 7	741, 742			Tr919, 920	2SK66(Q)	FET	2	
T	2SD3890	"	8		Tr931, 932	2SC828(T)	Transistor	2	
Tr743, 744	, 745, 746				Tr933	2SA564(T)	"	1	
	2SA564(T)	"	4		Tr934, 935	, 936			
Tr747, 748	, 749, 750					2SC1327(U)	ıı .	3	
	2SC828(T)	"	4		Tr937, 938	939			
Tr751, 752	, 753, 754				4.11.27.	A Mario (Constant)			
	2SA564(T)	"	4		Tr940, 941	, 942			
Tr801, 802	, 803, 804, 805, 806					2SA721(U)	' 11	3	
	2SC828(T)	"	6		Tr943, 944	945			
Tr807, 808	2SC1317(S)	"	2			29018460			
Tr809, 810	2SA564(T)	n	2		Tr946, 948	, 949, 950	•		
Tr811, 812	2SC828(T)	"	2			2SA564(T)	"	4	
Tr813, 814	2SA564(T)	11	2		Tr951, 952	, 953, 954, 955			
Tr815, 816	, 817, 818					2SC828(T)	"	5	
	2SC828(T)	"	4		Tr956, 957	2SA564(T)	"	2	
Tr819, 820	, 821, 822, 824				Tr958	2SC828(T)	"	1	
	2SA564(T)	ll .	6		Tr959, 960	, 961, 962			
Tr829	2SC828(T)	· ·	1			2SA564(T)	n .	4	
Tr891	2SA564(T)	"	1						
Tr892	2SC1317(S)	"	1			1	DIODES		
Tr901	2SC1327(U)	"	1		D1, 2, 3, 4, 19, 20, 2	, 5, 6, 7, 8, 9, 10, 11, 1, 22, 23, 24, 25	12, 13, 14, 15, 16, 17, 18,		
Tr902	2SC828(T)	H.	1			OA90MLF	Diode	25	
Tr903	2SA798H	,,	1		D26, 27	MA150LF	n	2	
Tr904, 905	, 906				D28	OA90MLF	n .	1	
	2SC828(T)	n	3		D29	SM102LF	"	1	
Tr907	2SA719(S)	11	1		D101, 102	2, 103, 104, 105, 106			
Tr908,	2SK66(Q)	FET	2			MA150LF	"	6	
909	1				D107, 108	OA90MLF	"	2	

15



DC 1	I KAA	110

			RS-1500US					RS-1500US
Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Remarks
MA150LF	Diode	2		L102,	QLH2009	Peaking Coil	2	RS-740US
	п	2			QLH2008	n n	1	RS-263AUS
	"	1			QLH2009	n	2	RS-740US
Maria and the second of the se		1		L501.	QLQC6021K	Erase	2	
1.020		2		300		SWITCHES		
320000		1	A PANTE AND LINE TO BUILD AND AND AND AND AND AND AND AND AND AN	ei I	08W1206AA	Power ON/OFF Switch		RATE VALUE AND A STATE OF THE S
		1					1	Free Control of the C
 		-		1			1	
		1	经济的企业企业 1000000000000000000000000000000000000	 		·	2	RS-9900US
The state of the s	"	1	1 to the PM 1 to 1 t			 	1	
		-					2	RS-9900US
	"	3		 		Bias Selector Switch	1	n
ļ	n	2				Mic ATT/Meter Switch	2	
703, 704, 705, 706, 7	707, 708, 801, 802, 803, 804,					Timer Start Switch	1	
	"	18			1 -			
LN21	Illuminate Diode	1			EVQPAR11K	Control Key Switch	6	
MA150LF	Diode	1	2402	\$19, 20	OSM0068	Micro Switch	2	
MA1056FV	"	1		S21	05522115	Slide Switch	1	
	917, 918, 919, 920, 921, 922,	1		S22	QSS1133	Cue and DC Power Switch	1	RS-272US
MA150LF	"	14		V. S.D. \$20050 LS	QS94212Å	AGADO SAN GARANTA SAN SAN SAN SAN SAN SAN SAN SAN SAN SA		
MZ203	п	1				THE WAY STATE OF THE PARTY OF T	120000	
MA1056LF	ıı .	1				JACKS		
				J1, 2	QJA0250H	Microphone Jack	2	RS-600US
	CRYSTAL			J3	QJA0249H	Headphone Jack	1	"
QZE0004	Crystal	1				LAMPS_		
	TRANSFORMERS			PL1. 2	XAMQ35	VU Moter Lamp	14	
NATIONAL AND A	(Found Transformer)	1		1		Lamp For Function Button		
	Headphone Transformer	1	RS-671AUS		-		\top	
QLT2D10A	n	1	п	[]		INTEGRATED CIRCUITS		
ļ ·	OSC Transformer	1	RS-275US	IC1, 2, 3, 4	1, 5, 6, 7		†	
+		 			M53200P	Integrated Circuit	7	RS-9900US
	COILS			IC901,	M53273P	ļ	2	
OI H2008	Peaking Coil	1	RS-263AUS	1			1	
	MA150LF OA90MLF MA1056FV MA1056FV MA1062LF MA1062LF MA1062LF 623 SIB0102 OA90MLF 703, 704, 705, 706, 7808, 901, 902, 903 MA150LF LN21 MA150LF MA1056FV 913, 914, 915, 916, 9 MA150LF MZ203 MA150LF MZ203 MA1056LF	MA150LF Diode OA90MLF " MA1056FV " MA1056FV " MA1062LF " MA1150LF " MA1062LF " MA1062LF " OA90MLF " OA90MLF " 703, 704, 705, 706, 707, 708, 801, 802, 803, 804, 808, 901, 902, 903 MA150LF " LN21 Illuminate Diode MA150LF Diode MA1056FV " 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, MA150LF " MZ203 " MA1056LF " CRYSTAL QZE0004 Crystal TRANSFORMERS QLT2D10A " QLT2D10A " QLB0140 OSC Transformer COILS	MA150LF Diode 2 OA90MLF " 2 MA1056FV " 1 MA1056FV " 1 MA1062LF " 1 MA1062LF " 1 MA1062LF " 1 MA1062LF " 1 623 SIB0102 " 3 OA90MLF " 2 TO3, 704, 705, 706, 707, 708, 801, 802, 803, 804, 808, 901, 902, 903 MA150LF " 18 LN21 Illuminate Diode 1 MA1056FV " 18 MA1056FV " 1918, 919, 920, 921, 922, 11 MA1056LF " 14 MZ203 " 17 MA1056LF " 17 MZ203 " 11 MZ204 " 11 MZ205 " 11 MZ	Part No. Part Name & Description Res Set	Part No. Part Name & Description Set Set Remarks Ref. No.	Part No. Part Name & Description Part Set	Part No. Part Name & Description Set Set	Part No. Part Name & Description Part

RS-1500US	
-----------	--

					N3-180003		_		T		D
Ref. No.		Part No.	Part Name & Description	Pcs/ Set	Remarks	Ref. No.		Part No.	Part Name & Description	Pcs/ Set	Remarks
E57	+	QJS0778JN	6 Pin Housing	9	RS-600US	G23		QG01287	Push Button	1	
E58	+	QJS0779JN	9 Pin Housing	3	RS-9900US	G24		QYT0411	Volume Knob For Speed	1	
E59	†	QJS0780JN	12 Pin Housing	1	"	G25		QYT0415	Volume Knob For Pitch Control	1	
E60	1	QJS0781JN	15 Pin Housing	1	"	G26		QYP0684	Button Panel Assembly	1	
E61	+	QJS0789JN	12 Pin Socket For Head	1		G27	J	QBC1231	Button Spring	2	RS-862S
E62	十	QJS0803X	12 Pin Socket	1		G28		QGS2434	Name Plate	1	
E63	+	QJT1042	Contact	140		G29		XSN4+10BVS	Screw ⊕4×10	6	COMMON
E64	1	QJT1053	Contact For 12 Pin Connector	11		G30		QBJ3205	Ornament Washer	4	n
E65	+	QJT1041A	Flat Pin	40	R\$-600US	G31	П	XSN4+35BVS	Screw ⊕4×35	4	"
E67	1	QJS0754	6 Pin Mold Connector	4	RS-671AUS	G32		XWG4	Washer	14	n
E68	+	QJT0080	6 Pin Connector Pin	12		G33		XSN4+148VS	Screw ⊕4×14	12	"
	-†					G34		XSN4+8S	Screw ⊕4×8	4	н
1			CABINET PARTS			G35	П	XTV3+12BFZ	Screw ⊕3×12	4	n
G1		QGC1066A	Top Cover	1		G36	П	XVE4C30FZS	Screw with Hexagon Hole	4	
G2	+	QGC1067A	Bottom Cover	1		G37		QBJ3299	Poly Washer	3	RS-630US
G3		QYP0683	Function Panel Assembly	1		G38	П	XUB16FP	Stop Ring	2	
G4		OKS1223A	Side Board	2			П				
G5	H	QKS1224	Back Board	1					ACCESSORIES		
G6	1	QKJ0170	Cord Clamper	2		A1	П	RP023A	Connection Cord	2	RS-600US
G7	+	QKJ0178	Foot for Back Side	4		A2	П	QMH2007A	Reel Holder	2	
G8	+	QMH2005	Foot Holder	2		A3	П	QFX0013	Head Cleaner	1	
G9	\forall	QKA1053A	Foot for Bottom Side	4	RS-715US	A4		QGK2697	Reel Holder Ornament	2	
G10		OGK2644A	Function Panel Cover	1		A5	\sqcap	QYC0182	Dust Cover Assembly	1	
G11	\dashv	QYT0414	Lever Knob (L) Assembly	2		A6	П	QYQ0273	Spacer for Reel Table	2	
G12 -	\vdash	SBLA4-3	Lever Knob Assembly	4	RS-9900US	A7	П	QQT2101	Instruction Book	1	
G13		QYT0413	Marker Knob Assembly	2			\sqcap				
G14 -	\forall	QYT0407	Volume Knob (D) Assembly	2	RS-9900US	[[PACKINGS		
G15	+	QYT0406A	Volume Knob (C) Assembly	3	н	P1	П	QPN3544	Inside Carton	1	
G16	+	QYT0412	Knob (L) Assembly	1		P2	П	QPA0307	Inside Cushion-A	1	
G17	+	QBH2013	Spacer-A	1		P3	П	QPA0308	Înside Cushion-B	1	
G18	\vdash	QBJ1459	Spacer-B	1		P4		QPA0309	Inside Cushion-C	1	
G19	\dashv	QBP1712	Flat Spring	2		P5		QPA0310	Inside Cushion-D	1	
G20	\dashv	QBJ1966	Spacer-C	1		P6	П	QPA0311	Inside Cushion-E	1	
G21	H	QG01285	Push Button	2		P7	T	QPC0037	Poly Bag for Main Unit	1	
G22	H	QG01286A	II III	1		P8	T	QPQ1052	Poly Bag for Power Cord	1	
U22	Ш	Agostopy	<u>i</u>		1	·	_				<u> </u>

Printed in Japan

RS-1500US RS-1500US

		T	_	Remarks			1	Τ	Remarks
Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Nemai NS	Ref. No.	Part No.	Part Name & Description	Pcs/ Set	Normano
			\top		E26	QTF1007	Fuse Holder	6	AS TAOUS TO THE TANK
 		ELECTRICAL PARTS			£27	XBA2F10NU100		. 1	
E1	QWY2021	Record Head (2 Track)	1		E28	XBA1F20NU100	,		
E2	QWY2002A	Playback Head (2 Track)	1		E29	XBA1F40NU100		j	
E3	QWY0001	Erase Head (2 Track)	1		E30	QMA2943A	Power Source Board Angle	1	
E4	QWY4011A	Playback Head (4 Track)	1		E31	QMA2945	Power Source Board Holding Angle	1	
E5	QSL9009RNM	Level Meter	2		E32	QMA2946	Power Source Board Holding Angle-2	1	
		All I A I III Cashian (P		19 10	E33	QJ\$0326	AC-IN Socket	1.	
İ		Main Amplifier Section (S	ee pa	ge 18, 19)	E34	QJS0748A	4 Pin Din Socket	l'i	
E6	QMA2926A	Back Side Angle	1		E35	QFC1201M	AC Cord	1	R9-268U8
E7	QMA2932	Side Angle (L.R)	2		E36	QTD1129	AC Cord Bushing	1	
E8	QMA2944	Mic and Meter Amp Holding Angle	1		E37	QMF1933	AC/DC Select Switch Holding Plate	1	
E9	QMA2938A	Mic and Meter Amp Sub-Holding Angle	1		E38	QJT1027	Earth Terminal Nut	1	RS-9900US
E10	QBS1107	P.C.B. Holding Wire	1		E39	QJT1025	- Earth Terminal Shaft	1	D
E11	QNQ1039	Nut For VR	3	RS-630US	E40	QJT1026	Earth Terminal Seat	1	"
E12	QNQ1070	Nut For Mic and Headphone Jack	3	RS-600US	E41	E GQJ0187A	Spark Killer	11	RS-630US
E13	QMA3147	Mic and Meter Switch Holding Angle	1		E42	QTW1118A	Spark Killer Cover	្វា	RS-640US
E14	QEJ5001SM	LINE IN, OUT Jack Board Assembly	1				Power Transformer Section	n (Sae	. nage 20)
		Capstan Motor Control P.		estion (See page 19)			Power transformer Section	11 (366	s page 20)
		Capstan motor Control P.	J.D. 31	retion (see page 19)	E43	QMA3150	Power Transformer Cover Angle	1	
E15	QMA2937	Switch Angle	1		E44	QMA3149	Power Transformer Angle	1	
E16	QML3013	Power Switch Lever	1		E45	QMA2986	Connector Angle	1	
E17	QML3194	Power Switch Lever Arm	1		E46	QTH1131	Heat Shink	1 1	
E18	QMA2934	Power Switch Lever Holding Angle	1				Other Parts		
E19	QHQ1177S	Step Screw	1	RS-671AUS			Other Parts		
E20	XUC4FT	Stop Ring	1	COMMON	E47	QKJ0189	Connector Cover	1	
E21	QNQ1004	Nut For Speed and Pintch Control	2	RQ-542S	E48	QBS1108	Clamper-A	1	
		Reel Motor Control P.C.B.	Sacel	on (See page 19)	E49	QBS1109	Clamper-B	1	
		Real motor Collitor F.C.D.	36011	in (ode page 13)	E50	QJP1908JO	3 Pin Plug	15	RS 600US
E22	QMA2941	P.C.B. Holding Angle-C	1		E51	QJP1902JO	6 Pin Plug	12	n
E23	QMA2942	P.C.B. Holding Angle-D	1		E52	QJP1903JO	9 Pin Plug	4	RS-9900US
			- 4	10)	E53	QJP1904J0	12 Pin Plug	2	н
		Power Supply P.C.B. Secti	on (S	pe page 19)	E54	QJP1905JO	15 Pin Plug	1	п
EZG	QMF1aa1	P.G.B. Holding Plate	1		E55	QJ\$0776	2 Pin Housing	1	RQ-544AS
E25	QMA3148	P.C.B. Holding Angle	1		E56	QJS0784JN	3 Pin Housing	13	RS-600US

- 17 -

